

热释电红外探测器 Pyroelectric Infrared Detector

LDF001系列


产品概述

z { | } ~ % ; c f % % ¥ a | a s | ' ° a %
« ¬ - % ® ° ± ; a % s 2 c ° ° a ; a %
3 ´ p µ 8 ¶ ¶ % 3 ´ p µ % 2 ´ ´ , ° ± a %
v 1 ° » % ¼ . c c ° ° ! % e ´ ´ ¥ a %

注意：


```
#& ' ( ) * + , - . / 0 1 2 3 4 5 6 +
, %%
7# ( + , 8 9 : ; < = > ? @ A B C D C E F
B G H I J K L M + , N O G %
P# Q R C < S T 1 U 6 V W X Y Z [ \ 5 6
/ ] %% ^ _ ` a b c 0 d e f d g V W h i j
k l d m # %
n % o O 1 5 6 = p q r s t u v w x y G
```

%
%
%




注意：

" ½¾ & ' 0 6 G%
7 ǂ Ä < 1 Ä Ä X Ä k Ä = & Ä 6 Ä ½¾ Y Z + , Ç ¶ È q G%
P%(+ , Q R C É S Ä È È j 1 Ç ¶ Ì Í Y u Î Ï Ð Ñ G%
n%o 0 1 5 6 = p q r s t u v w x y G



%



%

ÒÀÓÔÕk | Ö×k | Å a b Ø Ù Ú Û ' Ü Ý Þ


%

	I		

%

%

TOP VIEW



â V ã ä å æ ç = è V ã ä å J é ß * Z è V ã

è V ã ì ß í V ¹ Z

æ î U ì ß * â V ã

" ì ą Ć T é Ć ì ê Ć ĉ ó Ć ě Ď ě 1 d' E É = Ć ą Ć â ý &) : "\$£G%

Đ²α°%đ¢; i °±%! ``%²¢@¥%£¢! α@ ¯¢; % . \$²%¢ % \$α@¢£ ¯\$%! ¯; α%¢°¥%£α! ¢; % Ē; ¢! αē%! ²α%²α ¯±²! % ``d%²¢@¥%¥@ ``Ē% ¯ %° ``! £ ``@α%! ²¢°% "\$££#%